

# VALRIYA

SPEC GRADE COMMERCIAL LED LIGHTING

## CP SERIES CYLINDER PENDANT

The CP Series is a modular pendant ideal for commercial, residential, retail, or educational settings, Featuring multiple sizes, beam angles, and mounting options.

- 15°, 24°, 36°, and 60° beam angle options
- Available in 3 different sizes
- Adjustable power output
- Pendant or surface mount available

CLIENT
PROJECT
NOTES



### TECHNICAL DETAILS

POWER 4"	12W / 18W / 25W
POWER 6"	20W / 30W / 40W
POWER 8"	30W / 45W / 58W
COLOR TEMPERATURE	2700K, 3000K, 3500K, 4000K
CRI	80+ CRI, 90+ CRI
VOLTAGE	120-277VAC
EFFICIENCY	Up to 105lm/w
DIMMING	0-10V to 10%, 0-10V to 1%
BEAM ANGLE	15°, 24°, 36°, 60°
HOUSING	Aluminum
MOUNTING	Suspended, Surface
OPERATING TEMPERATURE	-4°F to 104°F
WARRANTY	5 Years
FINISH	Black, White
LOCATION	Damp
CERTIFICATIONS	UL


### LUMENS 4000K

4"	12W	18W	25W
	1,140lm	1,710lm	2,375lm
6"	20W	30W	40W
	2,100lm	3,150lm	4,200lm
8"	30W	45W	58W
	2,700lm	4,050lm	5,220lm


L70: 50,000+ HOURS

### DIMENSIONS


4" Baffle Trim




4" Diffuser




4" Drop Lens




4" Regress Trim




6" Baffle Trim



6" Diffuser



8" Baffle Trim



# CP SERIES

## CYLINDER PENDANT


### ORDERING GUIDE

Example: VA-CP-6-30-80-10-M-B-CH

VA-CP	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<b>SIZE / POWER</b>	<b>CCT</b>	<b>CRI</b>	<b>DIMMING</b>	<b>BEAM</b>	<b>FINISH</b>
	[4] 4" 12W / 18W / 25W [6] 6" 20W / 30W / 40W [8] 8" 30W / 45W / 58W	[27] 2700K [30] 3000K [35] 3500K [40] 4000K	[80] 80+ CRI [90] 90+ CRI	[10] 0-10V (Dims to 10%) [01] 0-10V (Dims to 1%) or TRIAC Dimming	[N] Narrow 15° [M] Medium 24° [W] Wide 36° [F] Flood 60° [D] Diffuser 100° <sup>3</sup> [70] 70° for Drop Lens <sup>1</sup>	[B] Black [W] White [CU] Custom
	<b>TRIM OPTIONS</b>			<b>MOUNTING</b>		
	[WB] White Baffle [BB] Black Baffle [GB] Gold Baffle [CB] Chrome Baffle	[DL] Drop Lens <sup>2</sup> [RB] Regress Black <sup>2</sup> [RW] Regress White <sup>2</sup>	[PR] Pendant w/ Flat Canopy for Recessed J-Box [PC] Pendant w/ Conduit Cutout Deep Canopy for Surface Mounted 4" Octagonal J-Box [SR] Surface Mount to Recessed J-Box [SC] Surface Mount w/ Conduit for Surface Mounted 4" Octagonal J-Box			
<p><sup>1</sup> Only available with [DL] Drop Lens option    <sup>2</sup> Only available with [4] 4" option    <sup>3</sup> Only available with [4] 4" and [6] 6" option</p>						

### ACCESSORIES\*

SKU	DESCRIPTION
VA-CP-CM2	2ft Nominal Length Cable Mount
VA-CP-CM4	4ft Nominal Length Cable Mount
VA-CP-CM8	8ft Nominal Length Cable Mount
VA-CP-RS2	2ft Nominal Length Rigid Stem Mount
VA-CP-RS4	4ft Nominal Length Rigid Stem Mount
VA-CP-RS8	8ft Nominal Length Rigid Stem Mount



\*Items must be ordered separately




# CP SERIES


## CYLINDER PENDANT

### PHOTOMETRICS


8" / 58W / 3000K / NARROW 15°



8" / 58W / 3000K / MEDIUM 24°



8" / 58W / 3000K / WIDE 36°



8" / 58W / 3000K / FLOOD 60°

