

VALRIYA

SPEC GRADE COMMERCIAL LED LIGHTING

LHBC SERIES ADJUSTABLE LINEAR HIGHBAY

The LHBC Series is a high-efficiency fixture with up to 171lm/w, suitable for warehouse, retail, and industrial type applications. Featuring adjustable color temperature and wattage output.

- 4 Wattage & 2 CCT selectable
- Rugged one-piece die-cast aluminum housing
- Compact design for easy installation
- UL & damp location

CLIENT
PROJECT
NOTES



TECHNICAL DETAILS


POWER SMALL	130W
POWER MEDIUM	160W, 205W
POWER LARGE	250W, 300W
POWER EXTRA LARGE	410W
COLOR TEMPERATURE	4000K / 5000K
CRI	80+ CRI
VOLTAGE	120-277VAC, 347-480VAC
EFFICIENCY	Up to 171lm/w
DIMMING	0-10V
HOUSING	Die-Cast Aluminum
MOUNTING	Suspension, Surface, Pendant
OPERATING TEMPERATURE	-40°F to 122°F
WARRANTY	5 Years
FINISH	White
LOCATION	Damp
CERTIFICATIONS	UL, TAA

LUMENS 4000K

130W	52W	78W	104W	130W
	8,200lm	12,100lm	15,200lm	18,500lm
160W	64W	96W	128W	160W
	10,600lm	15,500lm	20,000lm	24,100lm
205W	82W	123W	164W	205W
	14,000lm	19,500lm	25,000lm	30,500lm
250W	100W	150W	200W	250W
	16,400lm	24,000lm	30,200lm	36,100lm
300W	120W	180W	240W	300W
	20,000lm	28,000lm	36,000lm	42,000lm
410W	164W	246W	328W	410W
	28,000lm	38,400lm	50,000lm	60,600lm

L70: 50,000+ HOURS

DIMENSIONS



LHBC SERIES

ADJUSTABLE LINEAR HIGHBAY

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

ORDERING GUIDE

Example: VA-LHBC-LV160-ADJ-E

VA-LHBC	<input type="text"/>	<input type="text"/>	ADJ	<input type="text"/>	<input type="text"/>
	VOLTAGE	POWER	CCT	LENS	OPTIONS
	[LV] 120-277VAC [HV] 347-480VAC	[130] 52W / 78W / 104W / 130W [160] 64W / 96W / 128W / 160W [205] 82W / 123W / 164W / 205W [250] 100W / 150W / 200W / 250W [300] 120W / 180W / 240W / 300W [410] 164W / 246W / 328W / 410W	[ADJ] Adjustable CCT 4000K / 5000K	[BLANK] Prismatic Diffuser [AL] Aisle Lens [ND] Narrow Lens	[E] 15W EM Driver, CEC Listed ¹ [S] Microwave / PIR Sensor [ES] EM + Sensor
¹ Consult factory for other EM options					



ACCESSORIES*

SKU	DESCRIPTION
VA-LHBC-WG	Wireguard Kit
ANT-6-4T	Wireless Occ + Daylight Harvesting
BRI823	Wireless Occ + Daylight Sensor
RC100	Wireless Programmable Remote (BRI823)
MC054V RC4 D	Wireless Occ + Daylight Harvesting
MH10	Wireless Remote (MC054V)
VA-EDA-LI15-50	15W LV EM Driver, CEC Listed



*Items must be ordered separately

PHOTOMETRICS 250W / 4000K



LHBC SERIES

ADJUSTABLE LINEAR HIGHBAY

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

SKU	WATTS	SETTING	CCT	LUMENS	CRI	VOLTAGE	QUICK SHIP
VA-LHBC-LV130-ADJ-XX-X	130W	100%	4000K	18,500lm	80+	120-277VAC	Yes
VA-LHBC-LV130-ADJ-XX-X	104W	80%	4000K	15,200lm	80+	120-277VAC	Yes
VA-LHBC-LV130-ADJ-XX-X	78W	60%	4000K	12,100lm	80+	120-277VAC	Yes
VA-LHBC-LV130-ADJ-XX-X	52W	40%	4000K	8,200lm	80+	120-277VAC	Yes
VA-LHBC-LV160-ADJ-XX-X	160W	100%	4000K	24,100lm	80+	120-277VAC	Yes
VA-LHBC-LV160-ADJ-XX-X	128W	80%	4000K	20,000lm	80+	120-277VAC	Yes
VA-LHBC-LV160-ADJ-XX-X	96W	60%	4000K	15,500lm	80+	120-277VAC	Yes
VA-LHBC-LV160-ADJ-XX-X	64W	40%	4000K	10,600lm	80+	120-277VAC	Yes
VA-LHBC-LV205-ADJ-XX-X	205W	100%	4000K	30,500lm	80+	120-277VAC	Yes
VA-LHBC-LV205-ADJ-XX-X	164W	80%	4000K	25,000lm	80+	120-277VAC	Yes
VA-LHBC-LV205-ADJ-XX-X	123W	60%	4000K	19,500lm	80+	120-277VAC	Yes
VA-LHBC-LV205-ADJ-XX-X	82W	40%	4000K	14,000lm	80+	120-277VAC	Yes
VA-LHBC-LV250-ADJ-XX-X	250W	100%	4000K	36,100lm	80+	120-277VAC	Yes
VA-LHBC-LV250-ADJ-XX-X	200W	80%	4000K	30,200lm	80+	120-277VAC	Yes
VA-LHBC-LV250-ADJ-XX-X	150W	60%	4000K	24,000lm	80+	120-277VAC	Yes
VA-LHBC-LV250-ADJ-XX-X	100W	40%	4000K	16,400lm	80+	120-277VAC	Yes
VA-LHBC-LV300-ADJ-XX-X	300W	100%	4000K	42,000lm	80+	120-277VAC	Yes
VA-LHBC-LV300-ADJ-XX-X	240W	80%	4000K	36,000lm	80+	120-277VAC	Yes
VA-LHBC-LV300-ADJ-XX-X	180W	60%	4000K	28,000lm	80+	120-277VAC	Yes
VA-LHBC-LV300-ADJ-XX-X	120W	40%	4000K	20,000lm	80+	120-277VAC	Yes
VA-LHBC-LV410-ADJ-XX-X	410W	100%	4000K	60,600lm	80+	120-277VAC	Yes
VA-LHBC-LV410-ADJ-XX-X	328W	80%	4000K	50,000lm	80+	120-277VAC	Yes
VA-LHBC-LV410-ADJ-XX-X	246W	60%	4000K	38,400lm	80+	120-277VAC	Yes
VA-LHBC-LV410-ADJ-XX-X	164W	40%	4000K	28,000lm	80+	120-277VAC	Yes