

CLIENT
PROJECT
NOTES

WPB SERIES

ADJUSTABLE WALL PACK



The WPB Series features a full cut off architectural design for focused light distribution. Ideal for security, perimeter, building entry, and walkway applications.

- Die-cast aluminum alloy with a dark bronze finish
- Optional motion sensor, and EM integration available
- Built-in photocell with on/off switch
- Wet location rated
- UL, ETL, IP65



TECHNICAL DETAILS

POWER SMALL	12W / 18W / 24W
POWER MEDIUM	20W / 30W / 42W
POWER LARGE	50W / 60W / 80W
POWER X LARGE	90W / 100W / 120W
COLOR TEMPERATURE	3000K / 4000K / 5000K
CRI	80+ CRI
VOLTAGE	120-277VAC
EFFICIENCY	Up to 130lm/w
DIMMING	0-10V
HOUSING	Die-Cast Aluminum
OPERATING TEMPERATURE	-13°F to 113°F
WARRANTY	5 Years
FINISH	Dark Bronze, Black, White, Gray
LOCATION	Wet
CERTIFICATIONS	UL, ETL, IP65


LUMENS 4000K

SMALL	12W	18W	24W
	1,560lm	2,340lm	3,120lm
MEDIUM	20W	30W	42W
	2,600lm	3,900lm	5,460lm
LARGE	50W	60W	80W
	6,500lm	7,800lm	10,400lm
X LARGE	90W	100W	120W
	11,700lm	13,000lm	15,600lm


L70: 50,000+ HOURS

DIMENSIONS


SMALL EXTENDED BASE




MEDIUM EXTENDED BASE




SMALL / 3.6lbs




LARGE / 11.7lbs



MEDIUM / 5.4lbs



X LARGE / 16.1lbs



WPB SERIES

ADJUSTABLE WALL PACK

ORDERING GUIDE

Example: VA-WPB-LV42-ADJ-D-P

VA-WPB	LV		ADJ		P	
	VOLTAGE	SIZE / POWER	CCT	FINISH	PHOTOCELL	OPTIONS
	[LV] 120-277VAC	[24] Small - 12W / 18W / 24W [42] Medium - 20W / 30W / 42W [80] Large - 50W / 60W / 80W [120] X Large - 90W / 100W / 120W	[ADJ] Adjustable CCT	[D] Dark Bronze [B] Black [W] White [G] Gray [CC] Custom Color	[P] Photocell	[E] 8W EM Driver [S] Sensor [ES] EM + Sensor


ACCESSORIES*

SKU	DESCRIPTION
VA-WPB-JB	External Mounting Junction Box
VA-WPB-EB	Extended Base ¹

*Items must be ordered separately

¹Required for battery or sensor install in [LV24] & [LV42] options

PHOTOMETRICS 80W / 5000K / Large



50.0 %	16.69 fc
30.0 %	10.01 fc
10.0 %	3.34 fc
5.0 %	1.67 fc
3.0 %	1.00 fc

Peak illuminance: 33.37 fc
Mounting height: 9.84 ft
Number of c-planes: 36

ACCESSORIES



VA-WPB-JB

VA-WPB-EB

EMERGENCY BATTERY OPTION



VA-EDM-LP08

WPB SERIES

ADJUSTABLE WALL PACK

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

SKU	WATTAGE	CCT	LUMENS	CRI	VOLTAGE	QUICK SHIP
VA-WPB-LV24-ADJ-X	24W	4000K	3,120	80+	120-277VAC	No
VA-WPB-LV24-ADJ-X	18W	4000K	2,340	80+	120-277VAC	No
VA-WPB-LV24-ADJ-X	12W	4000K	1,560	80+	120-277VAC	No
VA-WPB-LV42-ADJ-X	42W	4000K	5,460	80+	120-277VAC	Yes
VA-WPB-LV42-ADJ-X	30W	4000K	3,900	80+	120-277VAC	Yes
VA-WPB-LV42-ADJ-X	20W	4000K	2,600	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	80W	4000K	10,400	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	60W	4000K	7,800	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	50W	4000K	6,500	80+	120-277VAC	Yes
VA-WPB-LV120-ADJ-X	120W	4000K	15,600	80+	120-277VAC	No
VA-WPB-LV120-ADJ-X	100W	4000K	13,000	80+	120-277VAC	No
VA-WPB-LV120-ADJ-X	90W	4000K	11,700	80+	120-277VAC	No